














AVAILABILITY LIST

PULTRUDED STRUCTURAL FIBERGLASS SHAPE AVAILABILITY

PROFILE	SIZE	S T	F R	V E	WT. FT.	PROFILE	SIZE	S T	F R	V E	WT. FT.		
	ANGLE							SQUARE TUBE					
	1 X 1/8		•	•	•	0.19		1 X 1/8		•	•	•	0.34
	1 1/2 X 3/16		•	•		0.44		1 1/4 X 1/4					0.74
	1 1/2 X 1/4		•	•	•	0.54		1 1/2 X 1/8		•	•	•	0.55
	2 X 1/4		•	•	•	0.74		1 1/2 X 1/4	STD - White	•		•	0.98
	3 X 1/4		•	•	•	1.12		1 3/4 X 1/8					0.61
	3 X 3/8		•	•	•	1.64		1 3/4 X 1/4			•		1.13
	3 X 1/2					2.09		2 X 1/8		•	•	•	0.70
	4 X 1/4		•	•	•	1.51		2 X 1/4		•	•	•	1.38
	4 x 3/8		•	•	•	2.21		2 1/4 X 1/8					0.87
	4 X 1/2		•	•	•	2.92		2 1/4 X 1/4					1.67
	6 X 4 X 1/2		•	•		3.65		2 1/2 X 1/4		•	•		1.77
	6 X 3/8		•	•	•	3.34		3 X 1/8					1.09
	6 X 1/2		•	•	•	4.43		3 X 1/4		•	•	•	2.13
	ROD							ROUND TUBE					
	1/8	White	•			0.01		1 X 1/8		•	•		0.28
	3/16	White	•			0.02		1 1/4 X 1/4					0.60
	1/4	White	•			0.04		1 1/2 X 1/8		•	•		0.39
	5/16	White	•			0.07		1 1/2 X 1/4			•		0.83
	3/8	White/Gray	•		•	0.10		1 3/4 X 1/8					0.54
	1/2	White/Gray	•		•	0.16		1 3/4 X 1/4					0.93
	5/8	White/Gray	•		•	0.26		2 X 1/4		•	•	•	1.06
	3/4	White/Gray	•		•	0.38		3 X .100					0.70
	1	White/Gray	•		•	0.67		3 X 1/4					1.72
	1 1/4	White	•			0.99		3 X 1/2		•			3.07
1 1/2	White/Gray	•	•		1.51	4.89 X 1/8					1.81		
						4.89 X 3/16					2.97		
	SPECIAL SHAPES							SQUARE BAR					
	5 3/4 X 2 5/8 X 3/16	White	•			1.63		1 X 1	White	•			0.81
	5 1/2 X 1/4					1.07		1 1/4 X 1 1/4	Yellow	•			1.17
	6 X 3 X 1/8 X 3/16	Gray	•			1.34		1 1/2 X 1 1/2	Yellow	•			1.90
	8 X 3 X 1/8 X 3/16	Gray	•			1.48							
	1 X 1 1/2 X 1/4	Gray			•	0.95		FLAT SHEET					
	1 1/2 X 1 1/2 X 1/4	Gray			•	1.06		1/8 X 48 X 96		•	•	•	1.30
	2 X 1 1/2 X 1/4	Gray			•	1.14		1/8 X 48 X 144		•			1.30
	WIDE FLANGE BEAM						3/16 X 48 X 96		•	•	•	1.83	
	3 X 3 X 1/4		•	•	•	1.71	3/16 X 48 X 144		•			1.83	
	4 X 4 X 1/4		•	•	•	2.36	1/4 X 48 X 96		•	•	•	2.42	
	6 X 6 X 1/4		•	•	•	3.48	1/4 X 48 X 144		•			2.42	
	6 X 6 X 3/8		•	•	•	5.21	3/8 X 48 X 96		•	•	•	3.43	
	8 X 8 X 3/8		•	•	•	6.78	1/2 X 48 X 96		•	•	•	4.85	
	8 X 8 X 1/2 (20' & 25' Lengths)			•	•	8.78	5/8 X 48 X 96					5.86	
	10 X 10 X 3/8					8.57	3/4 X 48 X 96					6.82	
	10 X 10 X 1/2 (20'&25' Lengths)			•	•	11.02	1 X 48 X 96			•		8.75	
	12 X 12 X 1/2 (20'&25' Lengths)			•	•	13.69							








PULTRUDED STRUCTURAL FIBERGLASS SHAPE AVAILABILITY

PROFILE	SIZE	S T	F R	V E	WT. FT.	PROFILE	SIZE	S T	F R	V E	WT. FT.	
	THREADED ROD (8' Lengths) & NUTS (HEX & SQUARE)						HANDRAIL COMPONENTS					
	3/8-16 UNC-11/16 X 1/2	Gray	•	•	0.09		4 X 5/8 X 1/8	Yellow		•	•	0.50
	1/2-13 UNC-7/8 X 5/8	Gray	•	•	0.14		1 1/4 X 1 1/4	Yellow	•			1.17
	5/8-11 UNC-1 1/16 X 3/4	Gray	•	•	0.23		1 1/2 X 1 1/2	Yellow	•			1.90
	3/4-10 UNC-1 1/4 X 7/8	Gray	•	•	0.33		1 1/2 X 1/8	Yellow		•	•	0.55
	1-8 UNC-1 5/8 X 1 1/8	Gray	•	•	0.50		1 1/2 X 1/4	Yellow		•	•	0.98
	CHANNEL						I-BEAM					
	2 X 9/16 X 1/8	•	•		0.28		1 3/4 X 1/8	Yellow		•	•	0.61
	3 X 7/8 X 1/4	•	•		0.78		1 3/4 X 1/4	Yellow		•	•	1.13
	3 X 1 X 1/4	•	•	•	0.85		2 X 1/8	Yellow		•	•	0.70
	3 X 1 1/2 X 1/4		•		1.03		2 X 1/4	Yellow		•	•	1.38
	3 1/2 X 1 1/2 X 3/16	•	•		0.92		2 1/4 X 1/8	Yellow		•		0.87
	4 X 1 1/8 X 1/4	•	•	•	1.12		4 1/4 X 1 1/4 Fixed Connector	•				0.87
	4 X 1 3/8 X 3/16	•	•		0.94		4 1/2 X 1 1/2 Fixed Connector	•				1.32
	5 X 1 3/8 X 1/4				1.47		4 1/4 X 1 1/4 Adjustable Connector	•				0.87
	5 1/2 X 1 1/2 X 1/4	•	•		1.52		4 1/2 X 1 1/2 Adjustable Connector	•				1.32
	6 X 1 5/8 X 1/4	•	•	•	1.68		Ladder Rung			•	•	0.38
	6 X 1 11/16 X 3/8	•	•	•	2.50		I-BEAM					
	8 X 2 3/16 X 1/4	•	•		2.27		3 X 2 X 1 1/2 X 1/4					1.11
	8 X 2 3/16 X 3/8	•	•	•	3.31		3 1/2 X 1 1/2 X 3/16			•		1.12
	10 X 2 3/4 X 1/2	•	•	•	5.58		4 X 2 X 1/4	•	•	•		1.58
	11 1/2 X 2 3/4 X 1/2				6.32		5 1/2 X 2 1/2 X 1/4			•		2.03
12 X 3 X 1/2				6.35	6 X 3 X 1/4	•	•	•		2.52		
14 X 3 1/2 X 3/4				10.96	6 X 3 X 3/8			•	•	3.53		
	DECKBOARD					8 X 4 X 3/8	•	•	•		4.36	
	12 X 2 1/8 X 3/16		•		2.93	8 X 4 X 1/2 (20' & 25' Lengths)			•	•	5.79	
	24 X 1 1/8 X 1/8		•		4.23	10 X 5 X 3/8					5.56	
	24 X 1 1/2 x .175		•		5.49	10 X 5 X 1/2 (20' & 25' Lengths)			•	•	7.24	
	RECTANGULAR TUBE					12 X 6 X 1/2 (20' & 25' Lengths)			•	•	8.90	
	4 X 1 X 1/8		•		0.92	18 X 3/8 X 4 1/2 X 1/2					8.55	
	4 X 1/8 X 2 X 1/4	•	•	•	1.52	24 X 3/8 X 7 1/2 X 3/4					15.10	
	5 X 2 X 1/8				1.24							
	5 1/8 X 2 1/8 X 3/16				1.83							
	6 X 4 X 1/4 (20' & 25' Lengths)	•	•		3.77							
6 1/2 X 1/4 X 2 X 1/2				3.56								









Unless otherwise indicated, all profiles are stocked as follows:

ST Standard Isophthalic Polyester Resin	Olive Green
FR Isophthalic Polyester Fire Retardant Resin	Dark Gray
VE Vinylester Fire Retardant Resin	Beige

PULTRUDED STRUCTURAL FIBERGLASS SHAPE AVAILABILITY

PROFILE	SIZE (mm)	S T	F R	V E	WT. kg/m	PROFILE	SIZE (mm)	S T	F R	V E	WT. kg/m
	ANGLE						SQUARE TUBE				
	25.4 X 3.2	•	•	•	0.28		25.4 X 3.2	•	•	•	0.51
	38.1 X 4.8	•	•		0.66		31.8 X 6.4				1.10
	38.1 X 6.4	•	•	•	0.80		38.1 X 3.2	•	•	•	0.82
	50.8 X 6.4	•	•	•	1.10		38.1 X 6.4 STD- White	•		•	1.46
	76.2 X 6.4	•	•	•	1.67		44.5 X 3.2				0.91
	76.2 X 9.5	•	•	•	2.44		44.5 X 6.4		•		1.68
	76.2 X 12.7				3.11		50.8 X 3.2	•	•	•	1.04
	101.6 X 6.4	•	•	•	2.25		50.8 X 6.4	•	•	•	2.06
	101.6 X 9.5	•	•	•	3.29		57.2 X 3.2				1.30
	101.6 X 12.7	•	•	•	4.35		57.2 X 6.4				2.49
	152.4 X 101.6 X 12.7	•	•		5.44		63.5 X 6.4	•	•		2.64
	152.4 X 9.5	•	•	•	4.98		76.2 X 3.2				1.62
	152.4 X 12.7	•	•	•	6.60		76.2 X 6.4	•	•	•	3.17
							76.2 X 9.5				4.50
					88.9 X 6.4	•	•		3.86		
					101.6 X 6.4	•	•	•	4.42		
					101.6 X 9.5	•	•		6.38		
					152.4 X 9.5	•	•		9.65		
	ROD						ROUND TUBE				
	3.2 White	•			0.02		25.4 X 3.2	•	•		0.42
	4.8 White	•			0.03		31.8 X 6.4				0.89
	6.4 White	•			0.06		38.1 X 3.2	•	•		0.58
	8 White	•			0.10		38.1 X 6.4		•		1.24
	9.5 White/Gray	•		•	0.15		44.5 X 3.2				0.80
	12.7 White/Gray	•		•	0.24		44.5 X 6.4				1.39
	15.9 White/Gray	•		•	0.39		50.8 X 6.4	•	•	•	1.58
	19.1 White/Gray	•		•	0.57		76.2 X 2.5				1.04
	25.4 White/Gray	•		•	1.00		76.2 X 6.4				2.56
	31.8 White	•			1.48		76.2 X 12.7	•			4.57
	38.1 White/Gray	•	•		2.25		124.2 X 3.2				2.70
					124.2 X 4.8				4.42		
	SPECIAL SHAPES						SQUARE BAR				
	146.5 X 66.7 X 4.8 White	•			2.43		25.4 X 25.4 White	•			1.21
	139.7 X 6.4				1.59		31.8 X 31.8 Yellow	•			1.74
	152.4 X 76.2 X 3.2 X 4.8 Gray	•			2.00		38.1 X 38.1 Yellow	•			2.83
	203.2 X 76.2 X 3.2 X 4.8 Gray	•			2.20						
	25.4 X 38.1 X 6.4 Gray			•	1.42		FLAT SHEET				
	38.1 X 38.1 X 6.4 Gray			•	1.58		3.2 X 1219.2 X 2438.4	•	•	•	1.94
	50.8 X 38.1 X 6.4 Gray			•	1.70		3.2 X 1219.2 X 3657.6	•			1.94
							4.8 X 1219.2 X 2438.4	•	•	•	2.73
					4.8 X 1219.2 X 3657.6	•			2.73		
					6.4 X 1219.2 X 2438.4	•	•	•	3.61		
					6.4 X 1219.2 X 3657.6	•			3.61		
					9.5 X 1219.2 X 2438.4	•	•	•	5.11		
					12.7 X 1219.2 X 2438.4	•	•	•	7.22		
					15.9 X 1219.2 X 2438.4				8.73		
					19.1 X 1219.2 X 2438.4				10.16		
					25.4 X 1219.2 X 2438.4		•		13.03		
	WIDE FLANGE BEAM										
	76.2 X 76.2 X 6.4	•	•	•	2.55						
	101.6 X 101.6 X 6.4	•	•	•	3.52						
	152.4 X 152.4 X 6.4	•	•	•	5.18						
	152.4 X 152.4 X 9.5	•	•	•	7.75						
	203.2 X 203.2 X 9.5		•	•	10.10						
	203.2X203.2X12.7 (6.1m & 7.6m)		•	•	13.08						
	254 X 254 X 9.5				12.77						
	254X254X12.7 (6.1m & 7.6m)		•	•	16.41						
	304.8X304.8X12.7 (6.1m & 7.6m)		•	•	20.39						

PULTRUDED STRUCTURAL FIBERGLASS SHAPE AVAILABILITY

PROFILE	SIZE (mm)	ST	FR	VE	WT. kg/m.	PROFILE	SIZE (mm)	ST	FR	VE	WT. kg/m.	
  	THREADED ROD (8' Lengths) & NUTS (HEX & SQUARE)						HANDRAIL COMPONENTS					
	3/8-16 UNC-11/16 X 1/2	Gray	•	•	0.13		101.6 X 15.9 X 3.2	Yellow		•	•	0.75
	1/2-13 UNC-7/8 X 5/8	Gray	•	•	0.21		31.8 X 31.8	Yellow	•			1.74
	5/8-11 UNC-1 1/16 X 3/4	Gray	•	•	0.34		38.1 X 38.1	Yellow	•			2.83
	3/4-10 UNC-1 1/4 X 7/8	Gray	•	•	0.49		38.1 X 3.2	Yellow		•	•	0.82
	1-8 UNC-1 5/8 X 1 1/8	Gray	•	•	0.75		38.1 X 6.4	Yellow		•	•	1.46
	CHANNEL						I-BEAM					
	50.8 X 14.3 X 3.2	•	•		0.42		72.6 X 50.8 X 38.1 X 6.4					1.65
	76.2 X 22.2 X 6.4	•	•		1.16		88.9 X 50.8 X 4.8		•			1.67
	76.2 X 25.4 X 6.4	•	•	•	1.27		101.6 X 50.8 X 6.4	•	•	•		2.35
	76.2 X 38.1 X 6.4		•		1.53		139.7 X 63.5 X 6.4		•			3.02
	88.9 X 38.1 X 4.8	•	•		1.37		152.4 X 76.2 X 6.4	•	•	•		3.75
	101.6 X 28.6 X 6.4	•	•	•	1.67		152.4 X 76.2 X 9.5		•	•		5.26
	101.6 X 34.9 X 4.8	•	•		1.40		203.2 X 101.6 X 9.5	•	•	•		6.49
	127 X 34.9 X 6.4				2.19		203.2X101.6X12.7(6.1m&7.6m Lengths)		•	•		8.62
	139.7 X 38.1 X 6.4	•	•		2.26		254 X 127 X 9.5					8.28
	152.4 X 41.3 X 6.4	•	•	•	2.50		254X127X12.7(6.1m & 7.6m Lengths)		•	•		10.78
	152.4 X 42.9 X 9.5	•	•	•	3.72		304.8X152.4X12.7(6.1m&7.6m Lengths)		•	•		13.26
	203.2 X 55.6 X 6.4	•	•		3.38		457.2 X 9.5 X 114.3 X 12.7					12.74
	203.2 X 55.6 X 9.5	•	•	•	4.93		609.6 X 9.5 X 190.5 X 19.1					22.49
	254 X 69.9 X 12.7	•	•	•	8.31							
	292.1 X 69.9 X 12.7				9.41							
304.8 X 76.2 X 12.7				9.46								
355.6 X 88.9 X 19.1				16.33								
	DECKBOARD											
	304.8 X 54 X 4.8		•		4.36							
	609.6 X 28.6 X 3.2		•		6.30							
	609.6 X 38.1 X 4.5		•		8.18							
	RECTANGULAR TUBE											
	101.6 X 25.4 X 3.2		•		1.37							
	101.6 X 3.2 X 50.8 X 6.4	•	•	•	2.26							
	127 X 50.8 X 3.2				1.85							
	130.2 X 54 X 4.8				2.73							
	152.4X101.6X6.4 (6.1m & 7.6m)	•	•		5.62							
165.1 X 6.4 X 50.8 X 12.7				5.30								

Unless otherwise indicated, all profiles are stocked as follows:

ST Standard Isophthalic Polyester Resin	Olive Green
FR Isophthalic Polyester Fire Retardant Resin	Dark Gray
VE Vinylester Fire Retardant Resin	Beige